

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G06T 15/10	A1	(11) International Publication Number: WO 95/27268 (43) International Publication Date: 12 October 1995 (12.10.95)
(21) International Application Number: PCT/GB95/00753 (22) International Filing Date: 31 March 1995 (31.03.95) (30) Priority Data: 9406510.9 31 March 1994 (31.03.94) GB (71) Applicant (for all designated States except US): ARGONAUT TECHNOLOGIES LIMITED [GB/GB]; 70 Colindale Avenue, London NW9 5ER (GB). (72) Inventor; and (75) Inventor/Applicant (for US only): WARNES, Peter, Robert [GB/GB]; 12A Walpole Road, East Ham, London E6 1AR (GB). (74) Agents: WILLIAMS, John, Francis et al.; Williams, Powell & Associates, 34 Tavistock Street, London WC2E 7PB (GB).		(81) Designated States: CA, GB, JP, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i>
(54) Title: BUMP MAPPING IN 3-D COMPUTER GRAPHICS		
(57) Abstract		
<p>A method of processing computer graphics information for rendering an image on a display comprising preparing a texture map in which each point is given one of a limited number of codes, each code identifying a parameter set which defines the colour and brightness of that point of the map. Prior to rendering, a conversion calculation is performed to provide a new parameter set for each code which is applicable to a particular polygon. This gives a look-up table used to render into the frame buffer.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Larvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

Bump Mapping in 3-D Computer Graphics

This invention is concerned with 3-D computer graphics, in particular creating a 2-D image in which the various objects and surfaces have a realistic appearance.

The appearance is determined by the perceived surface texture, colour and brightness. In the final rendering, i.e. defining the final coordinates and other parameters of the pixels which go to make up a frame of an image, normally individual calculations are made for each pixel. These calculations link the orientation in space defined by its surface normal, of the relevant spot on a surface with the assumed brightness, colour and direction of the illumination falling on that spot to define how that spot will look to an observer. Such calculations involve complex mathematics and require considerable processing power and memory if they are to be made in real time for realistic animations. Texture mapping and bump mapping are discussed, for example, in '3-D Computer Animation', by Vince, Addison-Wesley (1992).

The invention aims to provide a much simplified method of bump mapping which is faster and requires less processing power, particularly for the animation of computer games.

The invention proposes the use of a look-up table in which a pre-defined limited set of texture parameters is allocated a set of reference codes, and the texture map, which is normally used as the source of data for calculation of the texture of any pixel, consist of an array of reference codes for accessing said texture parameters.

According to the invention there is proposed a method of processing computer graphics information for rendering an image on a display comprising preparing a texture map in

which each point is given one of a limited number of codes, each code identifying a parameter set which defines the colour and brightness of that point of the map.

A more detailed example of the operation of the inventive technique will now be described.

In a further development of the invention, the method comprises: a) performing a conversion calculation to produce a set of new parameters for each code, which correspond to the location and attitude of a 3-D surface to be mapped; and b) allocating to each frame pixel a set of new parameters identified by the code allocated to the point of the texture map corresponding to that pixel.

Initially, a table is prepared in which, out of an infinite number of surface normals which might be calculated for each spot on a surface in 3-D image space, a restricted number e.g. sixteen, are chosen to be representative of the full range. Each of this restricted number is allocated a reference code. In preparing a texture map, the nearest of the sixteen normals to the true normal at a particular spot is chosen for that spot. Each texture map stored in memory, instead of giving detailed information as to the exact topography of the surface, merely gives an approximation in the form of a reference code allocated to each spot in the map.

Using this restricted list of surface normals, a single set of e.g. sixteen, calculations can be made for a polygon with a given light direction, colour, intensity and viewpoint to produce a corresponding list of surface texture characteristics, each allocated the corresponding reference code. This now represents a look-up table for use in rendering a scene into the frame buffer.

When rendering, individual calculations are no longer required for each pixel for the 2-D image. Rather, only the reference code for that texel (texture pixel in the texture map) needs to be read and the look-up table then consulted to find the required lighting intensity for the pixel to be rendered.

Although this technique only gives approximations, it is simple, fast and easily implemented. It is adequate for the animation of e.g. computer games, which do not require great subtlety, and for which speed and minimisation of computing power are important. It is usable effectively only for an assumed single point light source at a great distance.

Since the possible surface normals and their corresponding parameter sets are limited to sixteen, the need to do calculations for any random set of parameters is avoided. However, the pre-calculations of the look-up table are only worthwhile if they are fewer than the pixels being rendered by this means.

CLAIMS

1. A method of processing computer graphics information for rendering an image on a display comprising preparing a texture map in which each point is given one of a limited number of codes, each code identifying a parameter set which defines the colour and brightness of that point of the map.
2. A method as claimed in claim 1, further comprising:
 - a) performing a conversion calculation to produce a set of new parameters for each code, which correspond to the location and attitude of a 3-D surface to be mapped; and
 - b) allocating to each frame pixel a set of new parameters identified by the code allocated to the point of the texture map corresponding to that pixel.
3. A method as claimed in claim 2, wherein step a) is used to form a look-up table which is stored for use in step b).
4. A method of processing computer graphics information substantially as herein described with reference to the accompanying drawings.

INTERNATIONAL SEARCH REPORT

Inten. Application No
PCT/GB 95/00753

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 G06T15/10

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 G06T

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US-A-5 175 806 (COMPUTER DESIGN) 29 December 1992 see column 2, line 37 - line 61 see column 5, line 3 - line 32 ----	1-4
A	EP-A-0 447 227 (HEWLETT PACKARD) 18 September 1991 see the whole document -----	1-4



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

* & * document member of the same patent family

Date of the actual completion of the international search

21 June 1995

Date of mailing of the international search report

06.07.95

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Burgaud, C

INTERNATIONAL SEARCH REPORT

information on patent family members

Intern. Application No

PCT/GB 95/00753

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US-A-5175806	29-12-92	NONE	
EP-A-447227	18-09-91	US-A- 5222205 JP-A- 4222071	22-06-93 12-08-92